

CHARACTER RECOGNITION BY USING NEURAL NETWORK

Dhirendra Mishra¹, Akanksha Diwedi²

¹Asst. Professor, ²M. Tech. Scholar

Department of Electronics and Communication, Vindhya Institute of Technology and Science
Satna, M.P., India

Abstract: Character recognition techniques associate a symbolic identity with the image of character. In a typical OCR systems input characters are digitized by an optical scanner. Each character is then located and segmented, and the resulting character image is fed into a pre-processor for noise reduction and normalization. Certain characteristics are the extracted from the character for classification. The feature extraction is critical and many different techniques exist, each having its strengths and weaknesses. After classification the identified characters are grouped to reconstruct the original symbol strings, and context may then be applied to detect and correct errors.

Index Terms: corr2, feature extraction, mat2cell, pixels, segmentation.

I. INTRODUCTION

Machine replication of human functions, like reading, is an ancient dream. However, over the last five decades, machine reading has grown from a dream to reality. Optical character recognition has become one of the most successful applications of technology in the field of pattern recognition and artificial intelligence. Many commercial systems for performing OCR exist for a variety of applications, although the machines are still not able to compete with human reading capabilities. Optical Character Recognition deals with the problem of recognizing optically processed characters. Optical recognition is performed off-line after the writing or printing has been completed, as opposed to online recognition where the computer recognizes the characters as they are drawn. Both hand printed and printed characters may be recognized, but the performance is directly dependent upon the quality of the input documents. Progress in OCR has been steady if not spectacular since its commercial introduction at the Reader's Digest in the midfifties. After specially-designed typefaces, such as OCR-A, OCR-B, and Farrington 14B came support for elite and pica (fixed-pitch) typescripts, then "omnifont" typeset text. In the last decade the acceptance rates of form readers on handprinted digits and constrained alphanumeric fields has risen significantly (form readers usually run at a high reject/error ratio). Many researchers now view off-line and on-line cursive writing as the next challenge or turn to multi-lingual recognition in a variety of scripts. Character classification is also a favourite testing ground for new ideas in pattern recognition, but since most of the resulting experiments are conducted on isolated characters, the results are not necessarily immediately relevant to OCR. Perhaps more striking than the improvement of the scope and accuracy in classification methods has been the decrease in cost. The early OCR

devices all required expensive scanners and special-purpose electronic or optical hardware: the IBM 1975 Optical Page Reader for reading typed earnings reports at the Social Security Administration cost over three million dollars (it displaced several dozen keypunch operators). The almost simultaneous advent about 1980 of microprocessors for personal computers and of charge-coupled array scanners resulted in a huge cost decrease that paralleled that of general-purpose computers. Today, shrink-wrapped OCR software is often an add-on to desktop scanners that cost about the same as a printer or facsimile machine. Our purpose is to examine in some detail examples of the errors committed by current OCR systems and to speculate about their cause and possible remedy.

II. COMPONENTS OF AN OCR SYSTEM

A typical OCR system consists of several components. In figure 1. a common setup is illustrated. The first step in the process is to digitize the analog document using an optical scanner. When the regions containing text are located, each symbol is extracted through a segmentation process. The extracted symbols may then be preprocessed, eliminating noise, to facilitate the extraction of features in the next step. The identity of each symbol is found by comparing the extracted features with descriptions of the symbol classes obtained through a previous learning phase. Finally contextual information is used to reconstruct the words and numbers of the original text.




Fig.1. Components of an OCR System

A. Optical scanning

Through the scanning process a digital image of the original document is captured. In OCR optical scanners are used, which generally consist of a transport mechanism plus a sensing device that converts light intensity into gray-levels. Printed documents usually consist of black print on a white background. Hence, when performing OCR, it is common practice to convert the multilevel image into a bilevel image of black and white. Often this process, known as

100% percent correct identification of all characters, but some of these errors may be detected or even corrected by the use of context.

III. WHY MATLAB?

MATLAB stands for MATrixLABoratory. Here you play around with matrices. Hence, an image (or any other data like sound, etc.) can be converted to a matrix and then various operations can be performed on it to get the desired results and values. Image processing is quite a vast field to deal with. We can identify colors, intensity, edges, texture or pattern in an image. In this tutorial, we would be restricting ourselves to detecting colours (using RGB values) only. Using MATLAB you can solve technical computing problems faster than with traditional programming language, such as C, C++, JAVA, FORTRAN. There is a wide range of applications, including signal and image processing, image accusation, Neural Network, etc.

IV. OCR PERFORMANCE EVALUATION

No standardized test sets exist for character recognition, and as the performance of an OCR system is highly dependent on the quality of the input, this makes it difficult to evaluate and compare different systems. Still, recognition rates are often given, and usually presented as the percentage of characters correctly classified. However, this does not say anything about the errors committed. Therefore in evaluation of OCR system, three different performance rates are investigated:

Recognition rate.

The proportion of correctly classified characters.

Rejection rate.

The proportion of characters which the system were unable to recognize. Rejected characters can be flagged by the OCR-system, and are therefore easily retraceable for manual correction.

Error rate.

The proportion of characters erroneously classified. Misclassified characters go by undetected by the system, and manual inspection of the recognized text is necessary to detect and correct these errors. There is usually a tradeoff between the different recognition rates. A low error rate may lead to a higher rejection rate and a lower recognition rate. Because of the time required to detect and correct OCR errors, the error rate is the most important when evaluating whether an OCR system is cost-effective or not. The rejection rate is less critical. An example from barcode reading may illustrate this. Here a rejection while reading a barcoded price tag will only lead to rescanning of the code or manual entry, while a misdecoded price tag might result in the customer being charged for the wrong amount. In the barcode industry the error rates are therefore as low as one in a million labels, while a rejection rate of one in a hundred is acceptable. In view of this, it is apparent that it is not sufficient to look solely on the recognition rates of a system. A correct recognition rate of 99%, might imply an error rate of 1%. In the case of text recognition on a printed page, which on average contains about 2000 characters, an error rate of 1% means 20 undetected errors per page. In postal applications for mail sorting, where an address contains about 50

characters, an error rate of 1% implies an error on every other piece of mail.

V. RESULTS

To illustrate the accuracy of proposed English handwritten and sample text images OCR algorithm by using MATLAB, performance was measured using the samples. Figure 3 and 4 shows the sample document scanned from HP deskjet scanner at 300 dpi. The images were then filtered, binarized, clipped and resized. Lines of text were then extracted from the images. The font size was identified; segmentation was performed on each line to segment characters taking in consideration the characteristics of English Verdana fonts templates. MATLAB (R2012.a/64-bit) is used to implement the proposed OCR algorithm. The recognition accuracy was 85% to 90% due to improper hand written characters. The templates of all Characters and numbers are of 24X42 pixels.




Fig.3. Handwritten Sample And its output




Fig.4. Text Image Sample And its output

VI. FUTURE SCOPE

New methods for character recognition are still expected to appear, as the computer technology develops and decreasing computational restrictions open up for new approaches. There might for instance be a potential in performing character recognition directly on grey level images. However, the greatest potential seems to lie within the exploitation of existing methods, by mixing methodologies and making more use of context. Integration of segmentation and contextual analysis can improve recognition of joined and split characters. Also, higher level contextual analysis which look at the semantics of entire sentences may be useful. Generally there is a potential in using context to a larger extent than what is done today. In addition, combinations of multiple independent feature sets and classifiers, where the weakness of one method is compensated by the strength of another, may improve the recognition of individual characters. The frontiers of research within character recognition have now moved towards the recognition of cursive script, that is handwritten connected or calligraphic characters. Promising techniques within this area, deal with the recognition of entire words instead of

individual characters.

VII. CONCLUSION

Today optical character recognition is most successful for constrained material, that is documents produced under some control. However, in the future it seems that the need for constrained OCR will be decreasing. The reason for this is that control of the production process usually means that the document is produced from material already stored on a computer. Hence, if a computer readable version is already available, this means that data may be exchanged electronically or printed in a more computer readable form, for instance barcodes. The applications for future OCR systems lie in the recognition of documents where control over the production process is impossible. This may be material where the recipient is cut off from an electronic version and has no control of the production process or older material which at production time could not be generated electronically. This means that future OCR-systems intended for reading printed text must be omnifont. Another important area for OCR is the recognition of manually produced documents. Within postal applications for instance, OCR must focus on reading of addresses on mail produced by people without access to computer technology. Already, it is not unusual for companies etc., with access to computer technology to mark mail with barcodes. The relative importance of handwritten text recognition is therefore expected to increase.

REFERENCES

- [1] H.S. Baird & R. Fossey. A 100-Font Classifier. Proceedings ICDAR91, Vol. 1, p. 332-340, 1991.
- [2] R. Bradford & T. Nartker. Error Correlation in Contemporary OCR Systems. Proceedings ICDAR-91, Vol. 2, p. 516-524, 1991.
- [3] J-P. Caillot. Review of OCR Techniques. NR-note, BILD/08/087.
- [4] R. G. Casey & K. Y. Wong. Document-Analysis Systems and
- [5] Techniques. Image Analysis Applications, eds: R. Kasturi & M. Tivedi, p. 1-36.
- [6] Product help:
http://www.mathworks.com/pl_homepage